# Concurrent I/O Management for Cluster-based I/O Storage







- Data-intensive high-end applications demand scalable I/O capacity
- Achieving reliably high performance is difficult since parallel I/O systems are complex
  - computing parallelism combined with I/O concurrency
  - multiple layers of system components deep I/O stack
- Research goals:
  - develop systematic approach to analyze performance problems and identify causes (focus on concurrency-related issues)
  - devise new system-level techniques to address discovered problems



## A Quantitative Example (I/O Read Throughput)


- Up to 16 compute nodes running MPICH2 (MPI-IO)
- 6 striped storage nodes running PVFS2; each run Linux 2.6.12
- Gigabit Ethernet (~80us TCP/IP roundtrip latency)







### Multi-layer Event Tracing and Analysis



- Many layers of software present possible sources of problems
- Derive generic (layerindependent) I/O characteristics to understand cross-layer evolution.
- Perform bottom-up trace analysis (relatively easy anomaly identification at lower system layers).

data



### Results of Trace Analysis

- Problem #1: interleaved I/O under concurrent operations.
- Cause: insufficient I/O prefetching.
- Problem #2: slow return of I/O that should hit the cache.
- Cause: C library serializes AIOs on one file description.
- Problem #3: long delay in asynchronous write calls.
- Cause: client block on server-side write buffering.



## Motivation for Next Step Work

- Trace analysis for performance anomaly detection
  - Event trace analysis is still largely manual.
  - Dilemma:
    - too many traced events are difficult for human analysis
    - tracing too events few may miss important anomalies/errors
  - Wish for:
    - tracing as many events as possible
    - automatic screening of events potentially related to anomalous behaviors
    - human analysis on a small number of screened events
- Applications
  - Current apps are either synthetic or small (sometimes both :-)



### Automatic Event Screening: Diff against a reference (normal) system


- Given a system with performance anomalies, find a similar but normal system as a <u>reference</u>
- Collect comparable event traces from both systems and flag those that differ the most


#### Challenges:

- find a good reference (<u>normal</u> but <u>similar to the anomalous</u> <u>system</u>)
- quantify and rank the difference of traced events and derived system metrics



## Existence of a good reference: Anomaly Evolution over Software Versions





- Choose many runtime conditions (each condition specifies a concurrent I/O workload and an operating system configuration)
- For an anomalous system under a condition
  - Often (but not always), an earlier version at the same runtime condition does not exhibit anomaly
  - The earlier version can serve as a reference




## Existence of a good reference: Anomaly Characteristics

- For an anomalous system under a runtime condition
  - You can find some other conditions (using the same system version) that do not exhibit any anomaly
  - And often you can find "nearby" conditions (small variation in workload or small change in system configuration) that do not exhibit any anomaly
  - These "nearby" configurations can serve as references

## Plan for Large-scale Application Study

- Collaboration with scientists at UR Lab of Laser Energetics
- OSIRIS: simulation to understand inertial confinement fusion
  - simulate particles in grids under compression laser beams
- Current performance: 85GFLOPS at 1024 processors



- Problem: output profiling data (mostly writes) is expensive
- Planed study:
  - understand its I/O behavior through distributed tracing
  - focus on writes (asynchronous)



#### **Publications**

- Supported Research
  - [ICPP 2007] Multi-layer trace analysis and performance debugging for parallel I/O system
  - [EuroSys 2007] Operating system-level balanced I/O prefetching for concurrent I/O system
- Related Research
  - [USENIX 2007] VM data access tracing in virtual machine architecture
  - [USENIX 2007] measurement of memory hardware errors on production systems
- Education
  - [ACM SIGCSE 2006] Devise a new operating system course project that allows student to realistically explore performance issues in I/O systems